




## PAVILAND SPORT EPW PRIMER (Comp.A)

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** PAVILAND SPORT EPW PRIMER (Comp.A)  
**Other means of identification:**  
Non-applicable
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
Relevant uses: Primer for concrete surfaces. For professional users only.  
Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet:**  
GRUPO PUMA ESPAÑA S.L.  
AVDA. AGRUPACIÓN CÓRDOBA, NUM. 17  
14014 CÓRDOBA - CÓRDOBA - ESPAÑA  
Phone: +34 957 102 210 - Fax: +34 957 44 19 92  
fds@grupopuma.com  
<http://www.grupopuma.com>
- 1.4 Emergency telephone number:** 957 102 210 (Horario de atención: 08:30 – 13:30 y de 16:00 – 19:00)

### SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture:**  
**CLP Regulation (EC) No 1272/2008:**  
Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.  
Eye Dam. 1: Serious eye damage, Category 1, H318
- 2.2 Label elements:**  
**CLP Regulation (EC) No 1272/2008:**  
**Danger**  
  
**Hazard statements:**  
Eye Dam. 1: H318 - Causes serious eye damage.  
**Precautionary statements:**  
P101: If medical advice is needed, have product container or label at hand.  
P102: Keep out of reach of children.  
P280: Wear protective gloves/protective clothing/eye protection/protective footwear.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310: Immediately call a poison center/doctor.  
P501: Dispose of the contents/containers in accordance with the current legislation on waste treatment  
**Supplementary information:**  
EUH208: Contains 2-methylisothiazol-3(2H)-one. May produce an allergic reaction.  
**Substances that contribute to the classification**  
Polyamidoamine adduct
- 2.3 Other hazards:**  
Product does not meet PBT/vPvB criteria  
Endocrine-disrupting properties: The product does not meet the criteria.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

- 3.1 Substance:**  
Non-applicable
- 3.2 Mixture:**  
**Chemical description:** Aqueous mixture composed of additives, aggregates, pigments and resins

- CONTINUED ON NEXT PAGE -











**PAVILAND SPORT EPW PRIMER (Comp.A)**

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)**

**Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| Identification  | Chemical name/Classification  | Concentration         |
|---|---|-----------------------|
| CAS: Non-applicable<br>EC: Non-applicable<br>Index: Non-applicable<br>REACH: Non-applicable | <b>Polyamidoamine adduct</b> <sup>1</sup> Self-classified   | <b>2,5 - &lt;15 %</b> |
|   | Regulation 1272/2008 Eye Dam. 1: H318 - Danger   |                       |
| CAS: 14808-60-7<br>EC: 238-878-4<br>Index: Non-applicable<br>REACH: Non-applicable          | <b>Quartz (RCS &gt; 10%)</b> <sup>2</sup> Self-classified   | <b>&lt;1 %</b>        |
|   | Regulation 1272/2008 STOT RE 1: H372 - Danger    |                       |
| CAS: 50-00-0<br>EC: 200-001-8<br>Index: 605-001-00-5<br>REACH: 01-2119488953-20-XXXX        | <b>Formaldehyde</b> <sup>2</sup> ATP ATP06  | <b>&lt;0,01 %</b>     |
|   | Regulation 1272/2008 Acute Tox. 3: H301+H311+H331; Carc. 1B: H350; Muta. 2: H341; Skin Corr. 1B: H314; Skin Sens. 1: H317 - Danger     |                       |
| CAS: 2682-20-4<br>EC: 220-239-6<br>Index: 613-326-00-9<br>REACH: 01-2120764690-50-XXXX      | <b>2-methylisothiazol-3(2H)-one</b> <sup>1</sup> ATP ATP13  | <b>&lt;0,001 %</b>    |
|   | Regulation 1272/2008 Acute Tox. 2: H330; Acute Tox. 3: H301+H311; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1A: H317; EUH071 - Danger    |                       |

<sup>1</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

<sup>2</sup> Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

**Other information:**

| Identification | M-factor   |       |
|----------------|--|-------|
|                | 2-methylisothiazol-3(2H)-one<br>CAS: 2682-20-4 EC: 220-239-6 | Acute |
|                | Chronic  | 1     |

| Identification  | Specific concentration limit  |
|---|---|
| 2-methylisothiazol-3(2H)-one<br>CAS: 2682-20-4<br>EC: 220-239-6 | % (w/w) >=0,0015: Skin Sens. 1A - H317  |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8                   | % (w/w) >=25: Skin Corr. 1B - H314<br>5<= % (w/w) <25: Skin Irrit. 2 - H315<br>% (w/w) >=25: Eye Dam. 1 - H318<br>5<= % (w/w) <25: Eye Irrit. 2 - H319<br>% (w/w) >=0,2: Skin Sens. 1 - H317<br>% (w/w) >=5: STOT SE 3 - H335 |

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures:**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

**By inhalation:**

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

**By skin contact:**

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

**By eye contact:**

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

**By ingestion/aspiration:**

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

- CONTINUED ON NEXT PAGE -



## Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



### PAVILAND SPORT EPW PRIMER (Comp.A)

#### SECTION 4: FIRST AID MEASURES (continued)

##### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

##### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

#### SECTION 5: FIREFIGHTING MEASURES

##### 5.1 Extinguishing media:

###### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

###### Unsuitable extinguishing media:

Non-applicable

##### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

##### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

###### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

##### 6.1 Personal precautions, protective equipment and emergency procedures:

###### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilled product (See section 8). Evacuate the area and keep out those who do not have protection.

###### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

##### 6.2 Environmental precautions:

It is recommended to avoid environmental spillage of both the product and its container.

##### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

##### 6.4 Reference to other sections:

See sections 8 and 13.

#### SECTION 7: HANDLING AND STORAGE

##### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

- CONTINUED ON NEXT PAGE -



**PAVILAND SPORT EPW PRIMER (Comp.A)**

**SECTION 7: HANDLING AND STORAGE (continued)**

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

**7.2 Conditions for safe storage, including any incompatibilities:**

A.- Technical measures for storage

Minimum Temp.: 10 °C

Maximum Temp.: 30 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

**7.3 Specific end use(s):**

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

| Identification                                      | Occupational exposure limits |         |                        |
|---|------------------------------|---------|------------------------|
|   | IOELV (8h)                   |         |                        |
| Quartz (RCS > 10%)<br>CAS: 14808-60-7 EC: 238-878-4 | IOELV (STEL)                 |         | 0,1 mg/m <sup>3</sup>  |
| Formaldehyde<br>CAS: 50-00-0 EC: 200-001-8          | IOELV (8h)                   | 0,3 ppm | 0,37 mg/m <sup>3</sup> |
|   | IOELV (STEL)                 | 0,6 ppm | 0,74 mg/m <sup>3</sup> |

**DNEL (Workers):**

| Identification  |            | Short exposure |                         | Long exposure       |                         |
|---|------------|----------------|-------------------------|---------------------|-------------------------|
|   |            | Systemic       | Local                   | Systemic            | Local                   |
| 2-methylisothiazol-3(2H)-one<br>CAS: 2682-20-4<br>EC: 220-239-6 | Oral       | Non-applicable | Non-applicable          | Non-applicable      | Non-applicable          |
|   | Dermal     | Non-applicable | Non-applicable          | Non-applicable      | Non-applicable          |
|   | Inhalation | Non-applicable | 0,043 mg/m <sup>3</sup> | Non-applicable      | 0,021 mg/m <sup>3</sup> |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8                   | Oral       | Non-applicable | Non-applicable          | Non-applicable      | Non-applicable          |
|   | Dermal     | Non-applicable | Non-applicable          | 240 mg/kg           | Non-applicable          |
|   | Inhalation | Non-applicable | 0,75 mg/m <sup>3</sup>  | 9 mg/m <sup>3</sup> | 0,375 mg/m <sup>3</sup> |

**DNEL (General population):**

| Identification  |            | Short exposure |                         | Long exposure         |                         |
|---|------------|----------------|-------------------------|-----------------------|-------------------------|
|   |            | Systemic       | Local                   | Systemic              | Local                   |
| 2-methylisothiazol-3(2H)-one<br>CAS: 2682-20-4<br>EC: 220-239-6 | Oral       | 0,053 mg/kg    | Non-applicable          | 0,027 mg/kg           | Non-applicable          |
|   | Dermal     | Non-applicable | Non-applicable          | Non-applicable        | Non-applicable          |
|   | Inhalation | Non-applicable | 0,043 mg/m <sup>3</sup> | Non-applicable        | 0,021 mg/m <sup>3</sup> |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8                   | Oral       | Non-applicable | Non-applicable          | 4,1 mg/kg             | Non-applicable          |
|   | Dermal     | Non-applicable | Non-applicable          | 102 mg/kg             | Non-applicable          |
|   | Inhalation | Non-applicable | Non-applicable          | 3,2 mg/m <sup>3</sup> | 0,1 mg/m <sup>3</sup>   |

**PNEC:**

- CONTINUED ON NEXT PAGE -



**PAVILAND SPORT EPW PRIMER (Comp.A)**

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

| Identification  |              |                |                         |                |
|---|--------------|----------------|-------------------------|----------------|
| 2-methylisothiazol-3(2H)-one<br>CAS: 2682-20-4<br>EC: 220-239-6 | STP          | 0,23 mg/L      | Fresh water             | 0,00339 mg/L   |
|   | Soil         | 0,047 mg/kg    | Marine water            | 0,00339 mg/L   |
|   | Intermittent | 0,00339 mg/L   | Sediment (Fresh water)  | Non-applicable |
|   | Oral         | Non-applicable | Sediment (Marine water) | Non-applicable |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8                   | STP          | 0,19 mg/L      | Fresh water             | 0,44 mg/L      |
|   | Soil         | 0,2 mg/kg      | Marine water            | 0,44 mg/L      |
|   | Intermittent | 4,44 mg/L      | Sediment (Fresh water)  | 2,3 mg/kg      |
|   | Oral         | Non-applicable | Sediment (Marine water) | 2,3 mg/kg      |

**8.2 Exposure controls:**



A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection



The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands



| Pictogram   | PPE                                   | Labelling   | CEN Standard | Remarks  |
|---|---------------------------------------|---|--------------|--|
| <br>Mandatory hand protection | Protective gloves against minor risks |  |              | Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN ISO 21420:2020 and EN ISO 374-1:2016+A1:2018 |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

| Pictogram  | PPE   | Labelling   | CEN Standard                    | Remarks   |
|--|---|---|---------------------------------|---|
| <br>Mandatory face protection | Panoramic glasses against splash/projections. |  | EN 166:2002<br>EN ISO 4007:2018 | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

E.- Body protection

| Pictogram | PPE                  | Labelling   | CEN Standard      | Remarks   |
|-----------|----------------------|---|-------------------|---|
|           | Work clothing        |  |                   | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994. |
|           | Anti-slip work shoes |  | EN ISO 20347:2012 | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007                                 |

F.- Additional emergency measures

| Emergency measure   | Standards                                       | Emergency measure  | Standards                                      |
|---|---|--|--|
| <br>Emergency shower | ANSI Z358-1<br>ISO 3864-1:2011, ISO 3864-4:2011 | <br>Eyewash stations | DIN 12 899<br>ISO 3864-1:2011, ISO 3864-4:2011 |

Volatile organic compounds:

Directive 2004/42/CE Cat A/J: 140 g/l; maximum content of VOC of the product A+B: 140 g/l

- CONTINUED ON NEXT PAGE -



## PAVILAND SPORT EPW PRIMER (Comp.A)

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

**Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**9.1 Information on basic physical and chemical properties:**

For complete information see the product datasheet.

**Appearance:**

|                          |                  |
|--------------------------|------------------|
| Physical state at 20 °C: | Liquid           |
| Appearance:              | Not available    |
| Colour:                  | Not available    |
| Odour:                   | Not available    |
| Odour threshold:         | Non-applicable * |

**Volatility:**

|  |                  |
|--|------------------|
| Boiling point at atmospheric pressure: | Non-applicable * |
| Vapour pressure at 20 °C:              | Non-applicable * |
| Vapour pressure at 50 °C:              | Non-applicable * |
| Evaporation rate at 20 °C:             | Non-applicable * |

**Product description:**

|  |                               |
|--|-------------------------------|
| Density at 20 °C:                            | 1650 - 1690 kg/m <sup>3</sup> |
| Relative density at 20 °C:                   | Non-applicable *              |
| Dynamic viscosity at 20 °C:                  | Non-applicable *              |
| Kinematic viscosity at 20 °C:                | Non-applicable *              |
| Kinematic viscosity at 40 °C:                | Non-applicable *              |
| Concentration:                               | Non-applicable *              |
| pH:  | Non-applicable *              |
| Vapour density at 20 °C:                     | Non-applicable *              |
| Partition coefficient n-octanol/water 20 °C: | Non-applicable *              |
| Solubility in water at 20 °C:                | Non-applicable *              |
| Solubility properties:                       | Non-applicable *              |
| Decomposition temperature:                   | Non-applicable *              |
| Melting point/freezing point:                | Non-applicable *              |

**Flammability:**

|                            |                        |
|----------------------------|------------------------|
| Flash Point:               | Non Flammable (>60 °C) |
| Flammability (solid, gas): | Non-applicable *       |
| Autoignition temperature:  | Non-applicable *       |
| Lower flammability limit:  | Non-applicable *       |
| Upper flammability limit:  | Non-applicable *       |

**Particle characteristics:**

|                             |                |
|-----------------------------|----------------|
| Median equivalent diameter: | Non-applicable |
|-----------------------------|----------------|

**9.2 Other information:**

**Information with regard to physical hazard classes:**

|                       |                  |
|-----------------------|------------------|
| Explosive properties: | Non-applicable * |
| Oxidising properties: | Non-applicable * |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -



## PAVILAND SPORT EPW PRIMER (Comp.A)

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

|  |                  |
|--|------------------|
| Corrosive to metals:   | Non-applicable * |
| Heat of combustion:  | Non-applicable * |
| Aerosols-total percentage (by mass) of flammable components: | Non-applicable * |
| <b>Other safety characteristics:</b>                         |                  |
| Surface tension at 20 °C:                                    | Non-applicable * |
| Refraction index:  | Non-applicable * |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

### SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

#### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

#### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight       | Humidity       |
|--------------------|------------------|-------------------------|----------------|----------------|
| Not applicable     | Not applicable   | Not applicable          | Not applicable | Not applicable |

#### 10.5 Incompatible materials:

| Acids              | Water          | Oxidising materials | Combustible materials | Others                        |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Avoid direct impact | Not applicable        | Avoid alkalis or strong bases |

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

##### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

##### A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

##### B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract

##### C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Produces serious eye damage after contact.

- CONTINUED ON NEXT PAGE -



**PAVILAND SPORT EPW PRIMER (Comp.A)**

**SECTION 11: TOXICOLOGICAL INFORMATION (continued)**

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with carcinogenic effects. For more information see section 3.
- Mutagenicity: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with mutagenic effects. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**Other information:**

Non-applicable

**Specific toxicology information on the substances:**

| Identification  | Acute toxicity  |                | Genus |
|---|-----------------|----------------|-------|
|   | LD50 oral       | LD50 dermal    |       |
| 2-methylisothiazol-3(2H)-one<br>CAS: 2682-20-4<br>EC: 220-239-6 | 120 mg/kg       | 242 mg/kg      | Rat   |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8                   | 100 mg/kg       | 300 mg/kg      |       |
|   | LC50 inhalation | Non-applicable |       |
|   | LC50 inhalation | Non-applicable |       |

**11.2 Information on other hazards:**

**Endocrine disrupting properties**

Endocrine-disrupting properties: The product does not meet the criteria.

**Other information**

Non-applicable

**SECTION 12: ECOLOGICAL INFORMATION**

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

**12.1 Toxicity:**

**Acute toxicity:**

| Identification  | Concentration    |                   | Species             | Genus      |
|---|------------------|-------------------|---------------------|------------|
|   | LC50             | EC50              |                     |            |
| 2-methylisothiazol-3(2H)-one<br>CAS: 2682-20-4<br>EC: 220-239-6 | 4,77 mg/L (96 h) | 0,934 mg/L (48 h) | Oncorhynchus mykiss | Fish       |
|   | EC50             | Non-applicable    | Daphnia magna       | Crustacean |
|   | EC50             | Non-applicable    |                     |            |

- CONTINUED ON NEXT PAGE -





**PAVILAND SPORT EPW PRIMER (Comp.A)**

**SECTION 12: ECOLOGICAL INFORMATION (continued)**

| Identification | Concentration   |      | Species             | Genus      |
|----------------|-----------------|------|---------------------|------------|
|                | LC50            | EC50 |                     |            |
| Formaldehyde   | 100 mg/L (96 h) |      | Lepomis macrochirus | Fish       |
| CAS: 50-00-0   | 42 mg/L (24 h)  |      | Daphnia magna       | Crustacean |
| EC: 200-001-8  | Non-applicable  |      |                     |            |

**Chronic toxicity:**

| Identification               | Concentration  |      | Species             | Genus      |
|------------------------------|----------------|------|---------------------|------------|
|                              | NOEC           | EC50 |                     |            |
| 2-methylisothiazol-3(2H)-one | 4,93 mg/L      |      | Oncorhynchus mykiss | Fish       |
| CAS: 2682-20-4 EC: 220-239-6 | 0,044 mg/L     |      | Daphnia magna       | Crustacean |
| Formaldehyde                 | Non-applicable |      |                     |            |
| CAS: 50-00-0 EC: 200-001-8   | 6,4 mg/L       |      | Daphnia magna       | Crustacean |

**12.2 Persistence and degradability:**

**Substance-specific information:**

| Identification  | Degradability |                | Biodegradability |          |
|---|---------------|----------------|------------------|----------|
|   | Parameter     | Value          | Parameter        | Value    |
| 2-methylisothiazol-3(2H)-one<br>CAS: 2682-20-4<br>EC: 220-239-6 | BOD5          | Non-applicable | Concentration    | 10 mg/L  |
|   | COD           | Non-applicable | Period           | 28 days  |
|   | BOD5/COD      | Non-applicable | % Biodegradable  | 55,8 %   |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8                   | BOD5          | Non-applicable | Concentration    | 100 mg/L |
|   | COD           | Non-applicable | Period           | 14 days  |
|   | BOD5/COD      | Non-applicable | % Biodegradable  | 92 %     |

**12.3 Bioaccumulative potential:**

**Substance-specific information:**

| Identification  | Bioaccumulation potential |       |
|---|---------------------------|-------|
|   | Parameter                 | Value |
| 2-methylisothiazol-3(2H)-one<br>CAS: 2682-20-4<br>EC: 220-239-6 | BCF                       |       |
|   | Pow Log                   | -0.49 |
|   | Potential                 |       |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8                   | BCF                       | 3     |
|   | Pow Log                   | 0.35  |
|   | Potential                 | Low   |

**12.4 Mobility in soil:**

| Identification  | Absorption/desorption |                      | Volatility |                             |
|---|-----------------------|----------------------|------------|-----------------------------|
|   | Parameter             | Value                | Parameter  | Value                       |
| 2-methylisothiazol-3(2H)-one<br>CAS: 2682-20-4<br>EC: 220-239-6 | Koc                   | Non-applicable       | Henry      | 0E+0 Pa·m <sup>3</sup> /mol |
|   | Conclusion            | Non-applicable       | Dry soil   | Non-applicable              |
|   | Surface tension       | Non-applicable       | Moist soil | Non-applicable              |
| Formaldehyde<br>CAS: 50-00-0<br>EC: 200-001-8                   | Koc                   | Non-applicable       | Henry      | Non-applicable              |
|   | Conclusion            | Non-applicable       | Dry soil   | Non-applicable              |
|   | Surface tension       | 1,416E-2 N/m (25 °C) | Moist soil | Non-applicable              |

**12.5 Results of PBT and vPvB assessment:**

Product does not meet PBT/vPvB criteria

**12.6 Endocrine disrupting properties:**

Endocrine-disrupting properties: The product does not meet the criteria.

**12.7 Other adverse effects:**

Not described

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods:**

| Code      | Description  | Waste class (Regulation (EU) No 1357/2014) |
|-----------|--|--|
| 08 04 09* | waste adhesives and sealants containing organic solvents or other hazardous substances | Dangerous                                  |

**Type of waste (Regulation (EU) No 1357/2014):**

- CONTINUED ON NEXT PAGE -



## Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



### PAVILAND SPORT EPW PRIMER (Comp.A)

#### SECTION 13: DISPOSAL CONSIDERATIONS (continued)

HP4 Irritant — skin irritation and eye damage

##### **Waste management (disposal and evaluation):**

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

##### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

#### SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

#### SECTION 15: REGULATORY INFORMATION

##### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 2-methylisothiazol-3(2H)-one, 1,2-benzisothiazol-3(2H)-one, Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5 (1H,3H)-dione, Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one, Pyridine-2-thiol 1-oxide, sodium salt.

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: 2-methylisothiazol-3(2H)-one (Product-type 6, 11, 12, 13) ; Formaldehyde (Product-type 2, 3, 22)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

##### **Seveso III:**

Non-applicable

##### **Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):**

Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Laboral exposure to respirable crystalline silica must be controlled in accordance with Directive (EU) 2022/431, of the European Parliament and of the Council, of March 9, 2022, amending Directive 2004/37/EC, relating to the protection of workers against risks related to exposure to carcinogens or mutagens during work.

##### **Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

##### **Other legislation:**

The product could be affected by sectorial legislation

##### **15.2 Chemical safety assessment:**

The supplier has not carried out evaluation of chemical safety.

#### SECTION 16: OTHER INFORMATION

##### **Legislation related to safety data sheets:**

- CONTINUED ON NEXT PAGE -

**PAVILAND SPORT EPW PRIMER (Comp.A)****SECTION 16: OTHER INFORMATION (continued)**

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

**Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:**

Non-applicable

**Texts of the legislative phrases mentioned in section 2:**

H318: Causes serious eye damage.

**Texts of the legislative phrases mentioned in section 3:**

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

**CLP Regulation (EC) No 1272/2008:**

Acute Tox. 2: H330 - Fatal if inhaled.

Acute Tox. 3: H301+H311 - Toxic if swallowed or in contact with skin.

Acute Tox. 3: H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Carc. 1B: H350 - May cause cancer.

Eye Dam. 1: H318 - Causes serious eye damage.

Muta. 2: H341 - Suspected of causing genetic defects.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure (Inhalation).

**Classification procedure:**

Eye Dam. 1: Calculation method

**Advice related to training:**

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:**

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

**Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -


## PAVILAND SPORT EPW PRIMER (Comp B )



### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** PAVILAND SPORT EPW PRIMER (Comp B )  
**Other means of identification:**  
Non-applicable
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
Relevant uses: Primer for concrete surfaces. For professional users only.  
Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet:**  
GRUPO PUMA ESPAÑA S.L.  
AVDA. AGRUPACIÓN CÓRDOBA, NUM. 17  
14014 CÓRDOBA - CÓRDOBA - ESPAÑA  
Phone: +34 957 102 210 - Fax: +34 957 44 19 92  
fds@grupopuma.com  
<http://www.grupopuma.com>
- 1.4 Emergency telephone number:** 957 102 210 (Horario de atención: 08:30 – 13:30 y de 16:00 – 19:00)

### SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture:**  
**CLP Regulation (EC) No 1272/2008:**  
Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.  
Acute Tox. 4: Acute toxicity, Category 4, H302+H332  
Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard, Category 2, H411  
Eye Irrit. 2: Eye irritation, Category 2, H319  
Skin Irrit. 2: Skin irritation, Category 2, H315  
Skin Sens. 1: Sensitisation, skin, Category 1, H317
- 2.2 Label elements:**  
**CLP Regulation (EC) No 1272/2008:**  
**Warning**  
  
**Hazard statements:**  
Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled.  
Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.  
Eye Irrit. 2: H319 - Causes serious eye irritation.  
Skin Irrit. 2: H315 - Causes skin irritation.  
Skin Sens. 1: H317 - May cause an allergic skin reaction.  
**Precautionary statements:**  
P101: If medical advice is needed, have product container or label at hand.  
P102: Keep out of reach of children.  
P271: Use only outdoors or in a well-ventilated area.  
P280: Wear protective gloves/protective clothing/respiratory protection/eye protection/protective footwear.  
P302+P352: IF ON SKIN: Wash with plenty of water.  
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P501: Dispose of the contents/containers in accordance with the current legislation on waste treatment  
**Supplementary information:**  
EUH205: Contains epoxy constituents. May produce an allergic reaction.  
**Substances that contribute to the classification**  
Bis-[4-(2,3-epoxipropoxi)phenyl]propane; benzyl alcohol; Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol
- 2.3 Other hazards:**

- CONTINUED ON NEXT PAGE -



## PAVILAND SPORT EPW PRIMER (Comp B)

### SECTION 2: HAZARDS IDENTIFICATION (continued)

Product does not meet PBT/vPvB criteria  
Endocrine-disrupting properties: The product does not meet the criteria.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substance:

Non-applicable

#### 3.2 Mixture:

**Chemical description:** Mixture composed of epoxy resin in solvents

#### Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| Identification   | Chemical name/Classification   | Concentration                            |
|--|--|--|
| CAS: 1675-54-3<br>EC: 216-823-5<br>Index: 603-073-00-2<br>REACH: 01-2119456619-26-XXXX   | <b>Bis-[4-(2,3-epoxipropoxy)phenyl]propane</b> <sup>1</sup><br>Regulation 1272/2008<br>Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning                          | Self-classified<br><b>50 - &lt;75 %</b>  |
| CAS: 100-51-6<br>EC: 202-859-9<br>Index: 603-057-00-5<br>REACH: 01-2119492630-38-XXXX    | <b>benzyl alcohol</b> <sup>1</sup><br>Regulation 1272/2008<br>Acute Tox. 4: H302+H332; Eye Irrit. 2: H319 - Warning  | Self-classified<br><b>15 - &lt;50 %</b>  |
| CAS: 9003-36-5<br>EC: 500-006-8<br>Index: Non-applicable<br>REACH: 01-2119454392-40-XXXX | <b>Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol</b> <sup>1</sup><br>Regulation 1272/2008<br>Aquatic Chronic 2: H411; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning | Self-classified<br><b>2,5 - &lt;15 %</b> |

<sup>1</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

#### Other information:

| Identification   | Specific concentration limit  |
|--|---|
| Bis-[4-(2,3-epoxipropoxy)phenyl]propane<br>CAS: 1675-54-3<br>EC: 216-823-5 | % (w/w) >=5: Skin Irrit. 2 - H315<br>% (w/w) >=5: Eye Irrit. 2 - H319 |

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

| Identification                                   | Acute toxicity  | Genus          |
|--|-----------------|----------------|
| benzyl alcohol<br>CAS: 100-51-6<br>EC: 202-859-9 | LD50 oral       | Non-applicable |
|  | LD50 dermal     | Non-applicable |
|  | LC50 inhalation | 11 mg/L (ATEI) |

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

##### By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

##### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

##### By eye contact:

- CONTINUED ON NEXT PAGE -

**PAVILAND SPORT EPW PRIMER (Comp B)****SECTION 4: FIRST AID MEASURES (continued)**

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

**By ingestion/aspiration:**

Request medical assistance immediately, showing the SDS of this product. Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Rinse out the mouth and throat, as they may have been affected during ingestion. Keep the person affected at rest.

**4.2 Most important symptoms and effects, both acute and delayed:**

Acute and delayed effects are indicated in sections 2 and 11.

**4.3 Indication of any immediate medical attention and special treatment needed:**

Non-applicable

**SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media:****Suitable extinguishing media:**

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

**Unsuitable extinguishing media:**

Non-applicable

**5.2 Special hazards arising from the substance or mixture:**

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

**5.3 Advice for firefighters:**

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

**Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures:****For non-emergency personnel:**

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

**For emergency responders:**

Wear protective equipment. Keep unprotected persons away. See section 8.

**6.2 Environmental precautions:**

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

**6.3 Methods and material for containment and cleaning up:**

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

**6.4 Reference to other sections:**

- CONTINUED ON NEXT PAGE -



## PAVILAND SPORT EPW PRIMER (Comp B)

### SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

See sections 8 and 13.

### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

#### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 10 °C  
Maximum Temp.: 30 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

#### DNEL (Workers):

| Identification  |            | Short exposure        |                | Long exposure           |                |
|---|------------|-----------------------|----------------|-------------------------|----------------|
|   |            | Systemic              | Local          | Systemic                | Local          |
| Bis-[4-(2,3-epoxipropoxy)phenyl]propane<br>CAS: 1675-54-3<br>EC: 216-823-5  | Oral       | Non-applicable        | Non-applicable | Non-applicable          | Non-applicable |
|   | Dermal     | Non-applicable        | Non-applicable | 0,75 mg/kg              | Non-applicable |
|   | Inhalation | Non-applicable        | Non-applicable | 4,93 mg/m <sup>3</sup>  | Non-applicable |
| benzyl alcohol<br>CAS: 100-51-6<br>EC: 202-859-9  | Oral       | Non-applicable        | Non-applicable | Non-applicable          | Non-applicable |
|   | Dermal     | 40 mg/kg              | Non-applicable | 8 mg/kg                 | Non-applicable |
|   | Inhalation | 110 mg/m <sup>3</sup> | Non-applicable | 22 mg/m <sup>3</sup>    | Non-applicable |
| Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol<br>CAS: 9003-36-5<br>EC: 500-006-8 | Oral       | Non-applicable        | Non-applicable | Non-applicable          | Non-applicable |
|   | Dermal     | Non-applicable        | Non-applicable | 104,15 mg/kg            | Non-applicable |
|   | Inhalation | Non-applicable        | Non-applicable | 29,39 mg/m <sup>3</sup> | Non-applicable |

#### DNEL (General population):

- CONTINUED ON NEXT PAGE -



**PAVILAND SPORT EPW PRIMER (Comp B)**

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

| Identification  |            | Short exposure       |                | Long exposure          |                |
|---|------------|----------------------|----------------|------------------------|----------------|
|   |            | Systemic             | Local          | Systemic               | Local          |
| Bis-[4-(2,3-epoxipropoxy)phenyl]propane<br>CAS: 1675-54-3<br>EC: 216-823-5  | Oral       | Non-applicable       | Non-applicable | 0,5 mg/kg              | Non-applicable |
|   | Dermal     | Non-applicable       | Non-applicable | 0,0893 mg/kg           | Non-applicable |
|   | Inhalation | Non-applicable       | Non-applicable | 0,87 mg/m <sup>3</sup> | Non-applicable |
| benzyl alcohol<br>CAS: 100-51-6<br>EC: 202-859-9  | Oral       | 20 mg/kg             | Non-applicable | 4 mg/kg                | Non-applicable |
|   | Dermal     | 20 mg/kg             | Non-applicable | 4 mg/kg                | Non-applicable |
|   | Inhalation | 27 mg/m <sup>3</sup> | Non-applicable | 5,4 mg/m <sup>3</sup>  | Non-applicable |
| Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol<br>CAS: 9003-36-5<br>EC: 500-006-8 | Oral       | Non-applicable       | Non-applicable | 6,25 mg/kg             | Non-applicable |
|   | Dermal     | Non-applicable       | Non-applicable | 62,5 mg/kg             | Non-applicable |
|   | Inhalation | Non-applicable       | Non-applicable | 8,7 mg/m <sup>3</sup>  | Non-applicable |

**PNEC:**



| Identification  |              |                |                         |             |  |
|---|--------------|----------------|-------------------------|-------------|--|
| Bis-[4-(2,3-epoxipropoxy)phenyl]propane<br>CAS: 1675-54-3<br>EC: 216-823-5  | STP          | 10 mg/L        | Fresh water             | 0,006 mg/L  |  |
|   | Soil         | 0,065 mg/kg    | Marine water            | 0,001 mg/L  |  |
|   | Intermittent | 0,018 mg/L     | Sediment (Fresh water)  | 0,341 mg/kg |  |
|   | Oral         | 0,011 g/kg     | Sediment (Marine water) | 0,034 mg/kg |  |
| benzyl alcohol<br>CAS: 100-51-6<br>EC: 202-859-9  | STP          | 39 mg/L        | Fresh water             | 1 mg/L      |  |
|   | Soil         | 0,456 mg/kg    | Marine water            | 0,1 mg/L    |  |
|   | Intermittent | 2,3 mg/L       | Sediment (Fresh water)  | 5,27 mg/kg  |  |
|   | Oral         | Non-applicable | Sediment (Marine water) | 0,527 mg/kg |  |
| Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol<br>CAS: 9003-36-5<br>EC: 500-006-8 | STP          | 10 mg/L        | Fresh water             | 0,003 mg/L  |  |
|   | Soil         | 0,237 mg/kg    | Marine water            | 0 mg/L      |  |
|   | Intermittent | 0,025 mg/L     | Sediment (Fresh water)  | 0,294 mg/kg |  |
|   | Oral         | Non-applicable | Sediment (Marine water) | 0,029 mg/kg |  |

**8.2 Exposure controls:**



**A.- Individual protection measures, such as personal protective equipment**

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

**B.- Respiratory protection**

| Pictogram   | PPE                               | Labelling   | CEN Standard        | Remarks  |
|---|-----------------------------------|---|---------------------|--|
| <br>Mandatory respiratory tract protection | Filter mask for gases and vapours |  | EN 405:2002+A1:2010 | Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment. |

**C.- Specific protection for the hands**

| Pictogram  | PPE                                   | Labelling   | CEN Standard | Remarks  |
|--|---------------------------------------|---|--------------|--|
| <br>Mandatory hand protection | Protective gloves against minor risks |  |              | Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN ISO 21420:2020 and EN ISO 374-1:2016+A1:2018 |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

**D.- Eye and face protection**



- CONTINUED ON NEXT PAGE -







## PAVILAND SPORT EPW PRIMER (Comp B)



### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| Pictogram  | PPE   | Labelling   | CEN Standard                    | Remarks   |
|--|---|---|---------------------------------|---|
| <br>Mandatory face protection | Panoramic glasses against splash/projections. |  | EN 166:2002<br>EN ISO 4007:2018 | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

#### E.- Body protection

| Pictogram | PPE                  | Labelling   | CEN Standard      | Remarks   |
|-----------|----------------------|---|-------------------|---|
|           | Work clothing        |  |                   | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994. |
|           | Anti-slip work shoes |  | EN ISO 20347:2012 | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007                                 |

#### F.- Additional emergency measures

| Emergency measure  | Standards                                       | Emergency measure   | Standards                                      |
|--|---|---|--|
| <br>Emergency shower | ANSI Z358-1<br>ISO 3864-1:2011, ISO 3864-4:2011 | <br>Eyewash stations | DIN 12 899<br>ISO 3864-1:2011, ISO 3864-4:2011 |

Volatile organic compounds:

Directive 2004/42/CE Cat A/J: 140 g/l; maximum content of VOC of the product A+B: 140 g/l

#### **Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### **9.1 Information on basic physical and chemical properties:**

For complete information see the product datasheet.

##### **Appearance:**

|                          |                  |
|--------------------------|------------------|
| Physical state at 20 °C: | Liquid           |
| Appearance:              | Not available    |
| Colour:                  | Not available    |
| Odour:                   | Not available    |
| Odour threshold:         | Non-applicable * |

##### **Volatility:**

|  |                  |
|--|------------------|
| Boiling point at atmospheric pressure: | Non-applicable * |
| Vapour pressure at 20 °C:              | Non-applicable * |
| Vapour pressure at 50 °C:              | Non-applicable * |
| Evaporation rate at 20 °C:             | Non-applicable * |

##### **Product description:**

|                            |                               |
|----------------------------|-------------------------------|
| Density at 20 °C:          | 1010 - 1050 kg/m <sup>3</sup> |
| Relative density at 20 °C: | Non-applicable *              |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -



**PAVILAND SPORT EPW PRIMER (Comp B )**

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)**

|  |                  |
|--|------------------|
| Dynamic viscosity at 20 °C:                  | Non-applicable * |
| Kinematic viscosity at 20 °C:                | Non-applicable * |
| Kinematic viscosity at 40 °C:                | Non-applicable * |
| Concentration:                               | Non-applicable * |
| pH:  | Non-applicable * |
| Vapour density at 20 °C:                     | Non-applicable * |
| Partition coefficient n-octanol/water 20 °C: | Non-applicable * |
| Solubility in water at 20 °C:                | Non-applicable * |
| Solubility properties:                       | Non-applicable * |
| Decomposition temperature:                   | Non-applicable * |
| Melting point/freezing point:                | Non-applicable * |

**Flammability:**

|                            |                        |
|----------------------------|------------------------|
| Flash Point:               | Non Flammable (>60 °C) |
| Flammability (solid, gas): | Non-applicable *       |
| Autoignition temperature:  | Non-applicable *       |
| Lower flammability limit:  | Non-applicable *       |
| Upper flammability limit:  | Non-applicable *       |

**Particle characteristics:**

|                             |                |
|-----------------------------|----------------|
| Median equivalent diameter: | Non-applicable |
|-----------------------------|----------------|

**9.2 Other information:**

**Information with regard to physical hazard classes:**

|  |                  |
|--|------------------|
| Explosive properties:  | Non-applicable * |
| Oxidising properties:  | Non-applicable * |
| Corrosive to metals:   | Non-applicable * |
| Heat of combustion:  | Non-applicable * |
| Aerosols-total percentage (by mass) of flammable components: | Non-applicable * |

**Other safety characteristics:**

|                           |                  |
|---------------------------|------------------|
| Surface tension at 20 °C: | Non-applicable * |
| Refraction index:         | Non-applicable * |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

**SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity:**

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

**10.2 Chemical stability:**

Chemically stable under the indicated conditions of storage, handling and use.

**10.3 Possibility of hazardous reactions:**

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

**10.4 Conditions to avoid:**

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight       | Humidity       |
|--------------------|------------------|-------------------------|----------------|----------------|
| Not applicable     | Not applicable   | Not applicable          | Not applicable | Not applicable |

**10.5 Incompatible materials:**

- CONTINUED ON NEXT PAGE -



## PAVILAND SPORT EPW PRIMER (Comp B)

### SECTION 10: STABILITY AND REACTIVITY (continued)

| Acids              | Water          | Oxidising materials | Combustible materials | Others                        |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Not applicable      | Not applicable        | Avoid alkalis or strong bases |

#### 10.6 Hazardous decomposition products:

Contains substances which require external energy for spontaneous decomposition. Form explosive peroxides when distilled, evaporated or otherwise concentrated.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

##### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

##### A- Ingestion (acute effect):

- Acute toxicity: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

##### B- Inhalation (acute effect):

- Acute toxicity : Exposure in high concentration can interfere with the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

##### C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Produces skin inflammation.
- Contact with the eyes: Produces eye damage after contact.

##### D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

##### E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.

##### F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

##### G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

##### H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

##### Other information:

Non-applicable

##### Specific toxicology information on the substances:

- CONTINUED ON NEXT PAGE -



**PAVILAND SPORT EPW PRIMER (Comp B)**

**SECTION 11: TOXICOLOGICAL INFORMATION (continued)**

| Identification                                   | Acute toxicity  |                | Genus |
|--|-----------------|----------------|-------|
|  |                 |                |       |
| benzyl alcohol<br>CAS: 100-51-6<br>EC: 202-859-9 | LD50 oral       | 500 mg/kg      | Rat   |
|  | LD50 dermal     | 2500 mg/kg     |       |
|  | LC50 inhalation | 11 mg/L (ATEI) |       |

**11.2 Information on other hazards:**

**Endocrine disrupting properties**

Endocrine-disrupting properties: The product does not meet the criteria.

**Other information**

Non-applicable

**SECTION 12: ECOLOGICAL INFORMATION**

The experimental information related to the eco-toxicological properties of the product itself is not available

Toxic to aquatic life with long lasting effects.

**12.1 Toxicity:**

**Acute toxicity:**

| Identification  | Concentration |                     | Species                 | Genus      |
|---|---------------|---------------------|-------------------------|------------|
|   |               |                     |                         |            |
| Bis-[4-(2,3-epoxipropoxy)phenyl]propane<br>CAS: 1675-54-3<br>EC: 216-823-5  | LC50          | 2 mg/L (96 h)       | Oncorhynchus mykiss     | Fish       |
|   | EC50          | 1,7 mg/L (48 h)     | Daphnia magna           | Crustacean |
|   | EC50          | 9,4 mg/L (72 h)     | Scenedesmus subspicatus | Algae      |
| benzyl alcohol<br>CAS: 100-51-6<br>EC: 202-859-9  | LC50          | 646 mg/L (48 h)     | Leuciscus idus          | Fish       |
|   | EC50          | 400 mg/L (24 h)     | Daphnia magna           | Crustacean |
|   | EC50          | 79 mg/L (3 h)       | Scenedesmus subspicatus | Algae      |
| Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol<br>CAS: 9003-36-5<br>EC: 500-006-8 | LC50          | >1 - 10 mg/L (96 h) |                         | Fish       |
|   | EC50          | >1 - 10 mg/L (48 h) |                         | Crustacean |
|   | EC50          | >1 - 10 mg/L (72 h) |                         | Algae      |

**Chronic toxicity:**

| Identification  | Concentration |                | Species       | Genus      |
|---|---------------|----------------|---------------|------------|
|   |               |                |               |            |
| Bis-[4-(2,3-epoxipropoxy)phenyl]propane<br>CAS: 1675-54-3 EC: 216-823-5 | NOEC          | Non-applicable |               |            |
|   | NOEC          | 0,3 mg/L       | Daphnia magna | Crustacean |
| benzyl alcohol<br>CAS: 100-51-6 EC: 202-859-9                           | NOEC          | 48,897 mg/L    | N/A           | Fish       |
|   | NOEC          | 51 mg/L        | Daphnia magna | Crustacean |

**12.2 Persistence and degradability:**

**Substance-specific information:**

| Identification   | Degradability |                | Biodegradability |                |
|--|---------------|----------------|------------------|----------------|
|  |               |                |                  |                |
| Bis-[4-(2,3-epoxipropoxy)phenyl]propane<br>CAS: 1675-54-3<br>EC: 216-823-5 | BOD5          | Non-applicable | Concentration    | Non-applicable |
|  | COD           | Non-applicable | Period           | 28 days        |
|  | BOD5/COD      | Non-applicable | % Biodegradable  | 5 %            |
| benzyl alcohol<br>CAS: 100-51-6<br>EC: 202-859-9                           | BOD5          | Non-applicable | Concentration    | 100 mg/L       |
|  | COD           | Non-applicable | Period           | 14 days        |
|  | BOD5/COD      | Non-applicable | % Biodegradable  | 94 %           |

**12.3 Bioaccumulative potential:**

**Substance-specific information:**

| Identification   | Bioaccumulation potential |          |
|--|---------------------------|----------|
|  |                           |          |
| Bis-[4-(2,3-epoxipropoxy)phenyl]propane<br>CAS: 1675-54-3<br>EC: 216-823-5 | BCF                       | 31       |
|  | Pow Log                   | 3        |
|  | Potential                 | Moderate |

- CONTINUED ON NEXT PAGE -



## PAVILAND SPORT EPW PRIMER (Comp B)

### SECTION 12: ECOLOGICAL INFORMATION (continued)

| Identification | Bioaccumulation potential |     |
|----------------|---------------------------|-----|
| benzyl alcohol | BCF                       | 0   |
| CAS: 100-51-6  | Pow Log                   | 1.1 |
| EC: 202-859-9  | Potential                 | Low |

#### 12.4 Mobility in soil:

| Identification   | Absorption/desorption |                      | Volatility |                |
|--|-----------------------|----------------------|------------|----------------|
| Bis-[4-(2,3-epoxipropoxy)phenyl]propane<br>CAS: 1675-54-3<br>EC: 216-823-5 | Koc                   | 450                  | Henry      | Non-applicable |
|  | Conclusion            | Low                  | Dry soil   | Non-applicable |
|  | Surface tension       | Non-applicable       | Moist soil | Non-applicable |
| benzyl alcohol<br>CAS: 100-51-6<br>EC: 202-859-9                           | Koc                   | Non-applicable       | Henry      | Non-applicable |
|  | Conclusion            | Non-applicable       | Dry soil   | Non-applicable |
|  | Surface tension       | 3,679E-2 N/m (25 °C) | Moist soil | Non-applicable |

#### 12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

#### 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

#### 12.7 Other adverse effects:

Not described

### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods:

| Code      | Description  | Waste class (Regulation (EU) No 1357/2014) |
|-----------|--|--|
| 08 04 09* | waste adhesives and sealants containing organic solvents or other hazardous substances | Dangerous                                  |

#### Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP13 Sensitising, HP4 Irritant — skin irritation and eye damage

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

### SECTION 14: TRANSPORT INFORMATION

#### Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:



## PAVILAND SPORT EPW PRIMER (Comp B )

### SECTION 14: TRANSPORT INFORMATION (continued)



- 14.1 UN number or ID number:** UN3082
- 14.2 UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis-[4-(2,3-epoxipropoxi)phenyl]propane)
- 14.3 Transport hazard class(es):** 9  
Labels: 9
- 14.4 Packing group:** III
- 14.5 Environmental hazards:** Yes
- 14.6 Special precautions for user**  
Special regulations: 274, 335, 375, 601  
Tunnel restriction code: -  
Physico-Chemical properties: see section 9  
Limited quantities: 5 L
- 14.7 Maritime transport in bulk according to IMO instruments:** Non-applicable

#### Transport of dangerous goods by sea:

With regard to IMDG 40-20:



- 14.1 UN number or ID number:** UN3082
- 14.2 UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis-[4-(2,3-epoxipropoxi)phenyl]propane)
- 14.3 Transport hazard class(es):** 9  
Labels: 9
- 14.4 Packing group:** III
- 14.5 Marine pollutant:** Yes
- 14.6 Special precautions for user**  
Special regulations: 335, 969, 274  
EmS Codes: F-A, S-F  
Physico-Chemical properties: see section 9  
Limited quantities: 5 L  
Segregation group: Non-applicable
- 14.7 Maritime transport in bulk according to IMO instruments:** Non-applicable

#### Transport of dangerous goods by air:

With regard to IATA/ICAO 2023:



- 14.1 UN number or ID number:** UN3082
- 14.2 UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis-[4-(2,3-epoxipropoxi)phenyl]propane)
- 14.3 Transport hazard class(es):** 9  
Labels: 9
- 14.4 Packing group:** III
- 14.5 Environmental hazards:** Yes
- 14.6 Special precautions for user**  
Physico-Chemical properties: see section 9
- 14.7 Maritime transport in bulk according to IMO instruments:** Non-applicable

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

- CONTINUED ON NEXT PAGE -



**PAVILAND SPORT EPW PRIMER (Comp B )**

**SECTION 15: REGULATORY INFORMATION (continued)**

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable  
 Article 95, REGULATION (EU) No 528/2012: Non-applicable  
 REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

**Seveso III:**

| Section | Description           | Lower-tier requirements | Upper-tier requirements |
|---------|-----------------------|-------------------------|-------------------------|
| E2      | ENVIRONMENTAL HAZARDS | 200                     | 500                     |

**Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):**

Shall not be used in:  
 —ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,  
 —tricks and jokes,  
 —games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

**Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

**Other legislation:**

The product could be affected by sectorial legislation

**15.2 Chemical safety assessment:**

The supplier has not carried out evaluation of chemical safety.

**SECTION 16: OTHER INFORMATION**

**Legislation related to safety data sheets:**

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

**Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:**

Non-applicable

**Texts of the legislative phrases mentioned in section 2:**

H315: Causes skin irritation.  
 H317: May cause an allergic skin reaction.  
 H411: Toxic to aquatic life with long lasting effects.  
 H302+H332: Harmful if swallowed or if inhaled.  
 H319: Causes serious eye irritation.

**Texts of the legislative phrases mentioned in section 3:**

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

**CLP Regulation (EC) No 1272/2008:**

Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled.  
 Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.  
 Eye Irrit. 2: H319 - Causes serious eye irritation.  
 Skin Irrit. 2: H315 - Causes skin irritation.  
 Skin Sens. 1: H317 - May cause an allergic skin reaction.

**Classification procedure:**

Skin Irrit. 2: Calculation method  
 Skin Sens. 1: Calculation method  
 Aquatic Chronic 2: Calculation method  
 Acute Tox. 4: Calculation method  
 Eye Irrit. 2: Calculation method

**Advice related to training:**

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:**

- CONTINUED ON NEXT PAGE -



## Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



### PAVILAND SPORT EPW PRIMER (Comp B )

#### SECTION 16: OTHER INFORMATION (continued)

<http://echa.europa.eu>  
<http://eur-lex.europa.eu>

**Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -